

// SAFETY EYEWEAR  
MADE BY ZEISS

FRAME PORTFOLIO  
**ZEISS Safety Eyewear with  
individual correction.**



Seeing beyond

Classic metal frame

- Polycarbonate side-shields
- Easy fit, due to flexible nose pads
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59
- Certified for Single Vision, Occupational & Progressive lenses (not Bifocal)
- Diamant is also available with "ridskalm"



Model	Colour	Size	Frame Marking
DIAMANT	Brown	48/18-140 mm	EN166 F CE
DIAMANT	Brown	50/20-140 mm	EN166 F CE
DIAMANT	Brown	52/20-140 mm	EN166 F CE
DIAMANT	Brown	54/22-140 mm	EN166 F CE

Supplied with:  
■ Case

Good looking plastic frame

- Plastic side shields
- Two colors available: Brown & Grey
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal



Model	Colour	Size	Frame Marking
FC705	Brown	50/19-140 mm	EN166 F CE
FC705	Brown	52/19-145 mm	EN166 F CE
FC705	Grey	50/19-140 mm	EN166 F CE
FC705	Grey	52/19-145 mm	EN166 F CE

Supplied with:  
■ Case

Classic pilot frame in metal

- Polycarbonate side-shields
- Easy fit due to flexible nose pads
- Two colors available; Gun Metal & Black
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59
- Certified for Single Vision, Occupational & Progressive lenses (not Bifocal)



Model	Colour 1	Colour 2	Size	Frame Marking
Q2	Gun Metal	Colour Black	48/18-140 mm	EN166 F CE
Q2	Gun Metal	Colour Black	50/18-140 mm	EN166 F CE
Q2	Gun Metal	Colour Black	50/20-140 mm	EN166 F CE
Q2	Gun Metal	Colour Black	52/20-140 mm	EN166 F CE
Q2	Gun Metal	Colour Black	52/22-140 mm	EN166 F CE
Q2	Gun Metal	Colour Black	56/22-140 mm	EN166 F CE



Supplied with:  
■ Case

Flexible and stylish metal frame

- Transparent side-shields
- Two colors available: Antique Brown & Dark Gun Metal
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal



Model	Colour	Size	Frame Marking
FC707	Antique Brown	50/21-140 mm	EN166 F CE
FC707	Antique Brown	52/21-145 mm	EN166 F CE
FC707	Dark Gun Metal	50/21-140 mm	EN166 F CE
FC707	Dark Gun Metal	52/21-145 mm	EN166 F CE

Supplied with:  
■ Case

### A modern plastic frame

- Blue/Grey transparent side-shields
- Integrated side-protection
- Frame material: Grilamide
- Option: Clear flip for enabling full reading lens. Suitable for e.g. electricians.
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
HORIZON	Blue/Grey transparent	52/16-140 mm	EN166 F <b>CE</b>
HORIZON	Blue/Grey transparent	54/16-140 mm	EN166 F <b>CE</b>
HORIZON FLIP	Blue/Grey transparent	54/16	EN166 F <b>CE</b>



Supplied with:

- Case

### A super functional stylish plastic frame, with high versatility and comfort

- Wrap around style
- 100% plastic (acetate) frame with no metal
- Integrated extended side-protection and a tight face form angle of 15 degrees bring the front closer to the face for improved protection
- Separate nose pads different sizes included
- Two colors available: Blue (Blue-black) and GunMetal (Grey-yellow)
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
SW07	Blue	60/13-127 mm	EN166 F <b>CE</b>
SW07	GunMetal	60/13-127 mm	EN166 F <b>CE</b>



Supplied with:

- Hard case

### A modern sporty plastic frame with versatile protection and fit

- Wrap around style
- 100% plastic (acetate) frame with no metal
- Integrated side-protection
- Separate nose pads different sizes included
- Removable cell foam insert
- Two colors available: Black-Orange and Brown-Yellow
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
SW06	Black-Orange	57/16-125mm	EN166 F <b>CE</b>
SW06	Brown-Yellow	57/16-125mm	EN166 F <b>CE</b>



Supplied with:

- Hard case

### SW07 available as SW07+ at additional cost

- Removable cell foam insert
- Possibility to change temples to adjustable strap, for a firmer fit in extreme condititons or for persons wearing ear portection or working up-side down
- Two colors available: Blue (Blue-black) and GunMetal (Grey-yellow) and neck band in Blue-Black
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
SW07+	Blue	60/13-127 mm	EN166 F <b>CE</b>
SW07+	GunMetal	60/13-127 mm	EN166 F <b>CE</b>



Supplied with:

- Hard case

A modern and sporty frame with super coverage and a close fit to the eye for improved protection

- 100% plastic (acetate) frame with no metal
- Integrated side-protection
- Wrap around style
- Protective insert (foam sealing), removable
- Two colors available:Black and Black-Green
- Certified for Org 1.5, 1.6, 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
SW12	Black	62/15-125 mm	EN166 F <b>CE</b>
SW12	Black-Green	62/15-125 mm	EN166 F <b>CE</b>



Supplied with:

- Hard case

Elegance and Protection

- Metal frame with acetate temples and light-grey polycarbonate side-shields
- Available in color: Chocolate
- Certified for Poly 1.59
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
B713S	Chocolate	52/17-135 mm	EN166 F <b>CE</b>
B713L	Chocolate	54/17-135 mm	EN166 F <b>CE</b>



Supplied with:

- Hard case

Timeless aviator frame providing protection

- Metal frame with transparent polycarbonate side-shields
- Available in Metal Brown
- Adjustable nose pads and temple tips
- Color available: Metal Brown
- Certified for Org 1.5, 1.6 and 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
B708	Metal brown	52/18-140 mm	EN166 F <b>CE</b>
B708	Metal brown	54/18-140 mm	EN166 F <b>CE</b>



Supplied with:

- Hard case
- Microfibre cloth

A wrap around frame suitable for all types of corrections

- Nylon frame with upper, lower and side protection
- Light wide view
- Available in color: Light grey
- Certified for Org 1.5, 1.6 and 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
B805	Light grey	54/18-140 mm	EN166 F <b>CE</b>



Supplied with:

- Hard case



A modern and stylish plastic protection frame

- Polycarbonate frame with with polycarbonate bridge
- Ventilated side-protection
- No metal - no screws = pure polycarbonate
- Comfortable non-slip tip grip temples
- Available in color: Gunmetal or Red
- Certified for Org 1.5, 1.6 and 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
B808SII	Gun Metal	49/18-130 mm	EN166 F CE
B808LII	Gun Metal	54/17-135 mm	EN166 F CE
B808SII	Red	49/18-130 mm	EN166 F CE
B808LII	Red	54/17-135 mm	EN166 F CE



Supplied with:  
■ Hard case

Ultimate protection

- Polycarbonate frame with foam insulation for tight fit
- Available in color: Black
- Upper & Lower protection - in-built side-shields
- Adjustable strap included which gives possiblity to get a firmer fit or for persons wearing ear protections whole days or working "upside-down"
- Certified for Poly 1.59
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal
- Certified for category 3 if worn with strap

Model	Colour	Size	Frame Marking
TWISTER	Black	56/26-117 mm	EN166 F CE (Temples) EN166 3 F CE (Strap)



Supplied with:  
■ Hard case

Sporty and Modular plastic frame

- Nylon and grilamid frame with integrated side-shields
- Available in color: Grey
- Certified for Org 1.5, 1.6 and 1.67 and Poly 1.59 and Mineral 1.6
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
SLIDE	Grey	57/21-127 mm	EN166 F CE



Supplied with:  
■ Hard case

Trendy design with upper protection and in-build side-shields

- TR90 and Polycarbonate frame with foam insulation for tight fit
- Clear side view
- Available in color: Clear Blue-grey
- Certified for Org 1.5 and Poly 1.59
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal

Model	Colour	Size	Frame Marking
MACRO	Clear Blue-grey	54/18-140 mm	EN166 F CE



Supplied with:  
■ Hard case

High-Protection, stylish and colourful design!

- Polycarbonate and TPR frame with in-built side-shields
- Unisex frame
- Available in two colors: Light brown tortoise & Black/green
- Certified for Org 1.5 and Poly 1.59
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal



Model	Colour	Size	Frame Marking
SPISLTO	Light brown tortoise	53/19-138 mm	EN166 F CE
SPISBKGN	Black/green	53/19-138 mm	EN166 F CE

Supplied with:

- Hard case

Frame made of titanium, specially suitable for those allergic to nickel

- Lightweight titanium frame with transparent side-shields
- Aviator style with double nose deck
- Comfortable and adjustable nose pads for perfect fitting
- Available in Dark grey metal
- Certified for Org 1.5, 1.6 and 1.67 and Polycarbonate 1.59
- Certified for Single Vision, Occupational & Progressive lenses and Bifocal



Model	Colour	Size	Frame Marking
EXT10	Dark Grey Metal	53-18-140 mm	EN166 F CE
EXT10	Dark Grey Metal	55-18 145 mm	EN166 F CE

Supplied with:

- Case

Comfort and Ingeneuti with total comfort

- Baxter is delivered as frame or as Baxter + including nylon strap & foam insert (PC+EVA material which is waterproof).
- By using Baxter + with strap and foam insert, offers an effective protection from sprays of solids, liquids and dust.
  3. Liquid droplets
  4. Large dust particles > 5 microns.
  5. Gas and fine dust particles < 5 microns.
- Certified for Polycarbonate 1.59 (F-class)
- Certified for Single Vision & Progressive lenses
- NB; Need for base 8 (Curve lenses)



Model ref.	Colour	Size	Other	Frame Marking
BAXN	Black-Blue	63/18-122 mm	incl. strap & foam insert	EN166 3 4 5 F CE
BAXWFSN	Black-Blue	63/18-122 mm	frame only	EN166 F

Supplied with:

- Case

# Frame marking

**EN166** Guaranteed minimum resistance of the safety eyewear.

**S Protection** Enhanced mechanical, a 22 mm steel ball (weight 44 g) is dropped from a height of 1.3 meters. Polycarbonate, plastic and toughened mineral lenses are able to withstand this.

**F** Protection of particles with high speed and low energy impact. Resists a 6 mm steel ball at 45 m/sec (165 km/h). Max protection for glasses.

**CE** European standard.

Safety Eyewear (frame and lenses) certified by Carl Zeiss Vision AB, Malmö, Sweden.

Certification, power range and frames valid from September 2020

*New frames Spicy, B713, Baxter estimated for ordering in November 2020 (no date specified so far)*

Certification, power range and frames updated June 2021

	Progressive & Occupational lenses					Bifocal lenses	
	1.5	1.6	1.67	Mineral 1,6	Poly	1.5	Poly
<b>Classic frame portfolio</b>	1.5	1.6	1.67	Mineral 1,6	Poly	1.5	Poly
Certified powers	-10(6) +6/(6), +3.5	-9(6) +8/(6), +3.5	-12(6) +8(6), +3.5		-9(6) +6(6), +3.5		
<b>Premium frame portfolio</b>	1.5	1.6	1.67	Mineral 1,6	Poly 1.59	1.5	Poly 1.59
Certified powers	-10(6) +6/(6), +3.5	-9(6) +8/(6), +3.5	-12(6) +8(6), +3.5	-4(4) +6(4), +3.5	-9(6) +6(6), +3.5	-10(6) +6(6), add 3.5	-12(6) +6(6), add 3.5
<b>Exceptions:</b>							
B713	-6(4), +4(4), 3.5				-6(4), +4(4), 3.5		
Macn	-6(3) +6/(3), +3.5				-6(3) +6(3), +3.5		
Spicy	-10(6) +6/(6), +3.5				-9(6) +6(6), +3.5		
Twister					-6(4) +6(4), +3.5		
Baxter (need for curve lenses)					-6(4), +6(4) +3.5		
<b>Special frame portfolio</b>	1.5	1.6	1.67	Mineral 1,6	Poly 1.59	1.5	Poly 1.59
EXT 10	-10(6) +6(6), +3.5	-9/(6) +8(6), +3.5	-12(6) +8(6), +3.5		-9(6) +6(6) 3.5	-10(6) +6(6), add.3.5	-10(6) +6(6), add 3.5

	Single Vision lenses				
	1.5	1.6	1.67	Mineral 1,6	Poly 1.59
<b>Classic frame portfolio</b>	1.5	1.6	1.67	Mineral 1,6	Poly 1.59
Certified powers	-10,75(6) +8(6)	-9(6) +8(6)	-12(6) +10(6)		-10(6) +8(6)
<b>Premium frame portfolio</b>	1.5	1.6	1.67	Mineral 1,6	Poly 1.59
Certified powers	-10,75(6) +8(6)	-9(6) +8(6)	-12(6) +10(6)	-4(6) +8(6)	-10(6) +8(6)
<b>Exceptions:</b>					
Spicy	-10(6) +8(6)				-10(6) +8(6)
Macn	-6(3) +6/(3), +3.5				-6(3) +6(3), +3.5
B713	-6(4), +4(4), 3.5				-6(4), +4(4), 3.5
Twister					-6(4) +6(4), +3.5
Baxter (need for curve lenses)					-6(4), +6(4)
<b>Special frame portfolio</b>	1.5	1.6	1.67	Mineral 1,6	Poly
EXT 10	-10,75(6) +8(6)	-9(6) +8(6)	-12(6) +8(6)		-10(6) +8(6)





**When ordering Safety Eyewear**

Fill out the order form and send it to your country's e-mail. If you have any problems when ordering please contact Customer Care Service.

**Commercial Manager Safety Eyewear Nordics**

Cecilia Carlsten

Phone: +46 766 33 84 18

E-mail: [cecilia.carlsten@zeiss.com](mailto:cecilia.carlsten@zeiss.com)

**Customer Care Service Finland**

+358 20 775 69 89

[tilaus.fi@zeiss.com](mailto:tilaus.fi@zeiss.com)

**Customer Care Service Sweden**

+46 40 685 60 00

[order.se@zeiss.com](mailto:order.se@zeiss.com)

**Customer Care Service Norway**

+47 23 17 23 80

[ordre.no@zeiss.com](mailto:ordre.no@zeiss.com)

**Customer Care Service Denmark**

+45 70 25 70 00

[ordre.dk@zeiss.com](mailto:ordre.dk@zeiss.com)

**Carl Zeiss Vision AB**

Boplatsgatan 6

213 76 Malmö

Sweden

[www.zeiss.com/vision](http://www.zeiss.com/vision)